

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Vignia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
09/524,160 570 7	03/13/2000 590 07/18/2003	Kiyoshi Taguchi	10059-349	7198	
AKIN GUMP STRAUSS HAUER & FELD L.L.P.			EXAMINER		
2005 MARKE	RCE SQUARE T STREET, SUITE 2200	RIDLEY, BASIA ANNA			
PHILADELPH	IIA, PA 19103-7013		ART UNIT	PAPER NUMBER	
			1764		
			DATE MAILED: 07/18/2003		

Please find below and/or attached an Office communication concerning this application or proceeding.

•					A
3		Application No.		Applicant(s)	
Office Action Summary		09/524,160	T	AGUCHI ET AL.	,
		Examiner		Art Unit	
		Basia Ridley	1	764	
The MAILING DATE of t	this communication appe	ears on the cover s	heet with the cor	respondence add	ress
P riod for Reply A SHORTENED STATUTORY	Y PERIOD FOR REPLY	IS SET TO EXPIR	RE 3 MONTH(S)	FROM	
THE MAILING DATE OF THIS - Extensions of time may be available und after SIX (6) MONTHS from the mailing - If the period for reply specified above is - If NO period for reply is specified above - Failure to reply within the set or extende - Any reply received by the Office later the earned patent term adjustment. See 37 Status	G COMMUNICATION. der the provisions of 37 CFR 1.136 date of this communication. less than thirty (30) days, a reply of the maximum statutory period will be period for reply will, by statute, of the mailing of the months after the mailing of the communication.	6(a). In no event, howeve within the statutory minim Il apply and will expire SIX cause the application to b	or, may a reply be timely um of thirty (30) days we (6) MONTHS from the ecome ABANDONED	r filed ill be considered timely. mailing date of this com (35 U.S.C. § 133).	nmunication.
	nication(s) filed on				
2a) This action is FINAL .	` ,	– s action is non-fina	al.		
3) Since this application is	s in condition for allowar with the practice under E	nce except for form	nal matters, pros		merits is
Disposition of Claims	·				
4)⊠ Claim(s) <u>1-12</u> is/are per	nding in the application.				
4a) Of the above claim(s	s) is/are withdraw	n from considerati	ion.		
5) Claim(s) is/are al	lowed.				
6)⊠ Claim(s) <u>1-12</u> is/are reje	cted.				
7) Claim(s) is/are of	ojected to.				
8) Claim(s) are subj Application Papers	ect to restriction and/or	election requireme	ent.		
9)⊠ The specification is object	cted to by the Examiner.				
10) \boxtimes The drawing(s) filed on $\underline{1}$	3 March 2000 is/are: a)	\square accepted or b) $oxtime $	objected to by th	e Examiner.	
Applicant may not reques	st that any objection to the	drawing(s) be held i	n abeyance. See	37 CFR 1.85(a).	
11) The proposed drawing co	orrection filed on	is: a)⊡ approved	b) disapprove	d by the Examiner	•
If approved, corrected dra	awings are required in repl	y to this Office actio	n.		
12) ☐ The oath or declaration is	s objected to by the Exa	miner.			
Priority under 35 U.S.C. §§ 119 a	and 120				
13)⊠ Acknowledgment is mad	de of a claim for foreign	priority under 35 L	J.S.C. § 119(a)-(d) or (f).	
a)⊠ All b)☐ Some * c)☐	None of:				
1. ☐ Certified copies of	f the priority documents	have been receive	ed.		
2. Certified copies of	f the priority documents	have been receive	ed in Application	No	
	ified copies of the priorit on the International Bure Office action for a list of	eau (PCT Rule 17.	.2(a)).	in this National S	tage
14) ☐ Acknowledgment is made		·		to a provisional a	annlication)
a) The translation of th	e foreign language prov	isional application	has been receiv	/ed.	ippiioudion).
15) Acknowledgment is made Attachment(s)	oi a ciaim for domestic	priority under 35	U.S.C. 99 120 a	TU/OF TZT.	
Notice of References Cited (PTO-89 Notice of Draftsperson's Patent Drav				TO-413) Paper No(s)	
3) Information Disclosure Statement(s)		· -	otice of informal Pat ther:	ent Application (PTO-	·132)

Art Unit: 1764

DETAILED ACTION

Specification

- The specification is replete with informalities too numerous to point out specifically.
 Examples of such instances are as follows:
- inconsistent numbering of elements: e.g.: "CO purification catalyst body 20" (P27/L15), "CO purification catalyst body 9" (P35/L6 and P36/L3-4) and "CO purification catalyst body 29" throughout the specification;
- inconsistent numbering of elements: e.g.: "13A town gas" (P27/L1) and "first route 13A" throughout the specification;
- inconsistent numbering of elements: e.g.: "reforming catalyst body 44" (P43/L22) and "reforming catalyst body 46" throughout the specification;
- inconsistent numbering of elements: e.g.: "heating burner 45" (P43/L22) and "heating burner 44" throughout the specification;
- inconsistent numbering of elements: e.g.: "reforming catalyst body 6" (P58/L6-7) and "reforming catalyst body 46" through out the specification.

The applicant is reminded that the above instances are merely exemplary and that the entire specification should be carefully reviewed and revised to avoid informalities and inconsistencies.

Drawings

2. The following are some examples of the drawing objections. The actual objections are too numerous to point out specifically. Examples of such instances are as follows:

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they include reference sign(s) not mentioned in the description: for example: 33, 36 and 40 in Fig. 4; 43, 45 in Fig. 5; 63, 64, 65, 68, 70 and 72 in Fig. 6; etc.

Art Unit: 1764

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include reference sign(s) mentioned in the description: for example: "CO purification catalyst body 9" (P35/L6 and P36/L3-4) is not in Fig. 3; "route c" (P35/L5) is not in Fig. 3; "heat exchange fin 23" (P43/L20-21) is not in Fig. 4; "reforming catalyst body 6" (P58/L6-7) is not in Fig. 5; "CO shifting catalyst body 27" (P56/L21-22 & P57/L9) is not in Fig. 6.

A proposed drawing correction, corrected drawings, or amendment to the specification to add the reference sign(s) in the description, are required in reply to the Office action to avoid abandonment of the application. The objection to the drawings will not be held in abeyance.

The applicant is reminded that the above instances are merely exemplary and that the all drawings should be carefully reviewed and revised to avoid objections.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claim(s) 1-6 and 8-9 are rejected under 35 U.S.C. 103(a) as being unpatentable over McShea, III et al. (USP 4,863,707) in view of Muenger (USP 3,666,682) and further in view of Reynolds (USP 3,919,114).

Regarding claim 1, 3 and 5, McShea, III et al. discloses a hydrogen generating apparatus comprising:

- a fuel feeding part (12);
- a water feeding part (40) for fuel reforming;

Art Unit: 1764

- an oxidant gas feeding part (18);
- a reforming catalyst body (42);
- a heating part for said reforming catalyst body
- a heating part (42a) for said reforming catalyst;
- a CO shifting catalyst body (50, 58);
- CO purification catalyst body (70);
- the reforming catalyst body (42), CO shifting catalyst body (50, 58), and CO purification catalyst body (70) being placed sequentially in the order from said fuel feeding part (12) toward the downstream side (Fig. 2); wherein
- fuel and water are fed to heated reforming part (Fig. 2);
- an oxidant gas (72) from said oxidant gas feeding part (18) is mixed with shifted gas (60) obtained in said shifting part (50, 58) and introduced into purification part (70); wherein
- oxidant gas from said oxidant gas feeding part (18) is mixed with fuel and water from said fuel feeding part (12) and said water feeding part (40).

The reference does not explicitly disclose oxidant gas feeding part being mixed with reformed gas introduced to shifting part and used to control temperature of said shifting part.

While McShea, III et al. discloses two water shift stages, it does not disclose any specific design of said stages.

Muenger teaches an advantageous design of water shift catalyst stage which is more efficiently and economical than conventional technology using more than one catalyst beds with heat exchangers in-between (C1/L20-C2/L2). In said apparatus the temperature of various zones is individually controlled, with the initial zone being quickly brought up to the operating temperature with the temperature being controlled by, among others composition of feedstream (C2/L36-46).

Art Unit: 1764

It would have been obvious to one having ordinary skill in the art at the time the invention was made to replace the two shift reactors of McShea, III et al. with the shift reactor taught by Muenger for the purpose of improving process economy and efficiency.

While Muenger does not explicitly discloses a temperature measuring part, as the reference discloses that the temperature has to be controlled (C2/L36-46) a presence of said temperature measuring part is inherent.

While Muenger teaches that composition of feedstream can control the temperature of the initial zone of the shift reactor (C2/L36-46), the reference does not explicitly disclose introducing oxygen to said feedstream.

It was known in the art at the time of the invention that oxygen can be added to the feedstream for a shift reactor to control the temperature of said shift reactor (as evidenced by Reynolds, C5/L32-38).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to add oxygen to the feedstream for the shift reactor of McShea, III et al., in view of combined teachings of Muenger and Reynolds, as doing so would amount to nothing more than use of a known material for its intended use in a known environment to accomplish entirely expected result.

Regarding claims 2, McShea, III et al. in view of Muenger and further in view of Reynolds disclose all of the claim limitations as set forth above. Additionally, Muenger discloses the apparatus wherein:

- said shifting catalyst body contains as one component at least a platinum group-type catalyst (C3/L60-75).

Art Unit: 1764

Regarding claims 4 and 6, McShea, III et al. in view of Muenger and further in view of Reynolds disclose all of the claim limitations as set forth above. Additionally, while McShea, III et al. does not explicitly disclose said reforming catalyst part and said CO purification catalyst part further comprising temperature measuring parts for control of the temperature in said catalyst parts, the reference discloses that it is desired to control temperatures of various process parts (C3/L65-C4/L5 and C17/L60-C18/L60). It would have been obvious to one having ordinary skill in the art at the time the invention was made to include additional temperature sensors in, reforming and CO purifying catalyst beds for the purpose of controlling temperature of said beds, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8.

Regarding limitations recited in claims 8-9 which are directed to a manner of operating disclosed gasifier, the examiner notes that neither the manner of operating a disclosed device nor material or article worked upon further limit an apparatus claim. Said limitations do not differentiate apparatus claims from prior art. See MPEP § 2114 and 2115.

5. Claim(s) 7 is/are rejected under 35 U.S.C. 103(a) as being unpatentable over McShea, III et al. (USP 4,863,707) in view of Muenger (USP 3,666,682) and further in view of Reynolds (USP 3,919,114), as applied to claim 1 above, and further in view of Clyde (USP 3,900,646).

Regarding claim 7, McShea, III et al. in view of Muenger and further in view of Reynolds disclose all of the claim limitations as set forth above. Additionally, while McShea, III et al. discloses that said reforming catalyst body comprising a carrier having a honeycomb structure, foamed body structure of corrugated structure carrying a catalyst component (C12/L65-68), the reference does not explicitly disclose a structure of said shift catalyst body and said CO purification catalyst body.

Art Unit: 1764

Clyde teaches that catalyst body comprising a carrier having a honeycomb structure, foamed body structure of corrugated structure carrying a catalyst component are advantageous over other catalysts (C1/L54-C2/L7), because they provide more efficient heat transfer, improve catalyst life by lowering sintering poisoning and flaking and lower pressure drop over the catalyst bed. As such said catalysts are especially well suited for endothermic and exothermic reactions.

It would have been obvious to one having ordinary skill in the art at the time the invention was made to use catalyst body comprising a carrier having a honeycomb structure, foamed body structure of corrugated structure carrying a catalyst component as the shift catalyst body and CO purification catalyst body of McShea, III et al., in view of teaching of Clyde, as doing so would amount to nothing more than use of a known material for its intended use in a known environment to accomplish entirely expected result.

6. Claim(s) 10-12 is/are rejected under 35 U.S.C. 103(a) as being unpatentable over McShea, III et al. (USP 4,863,707) in view of Muenger (USP 3,666,682) and further in view of Reynolds (USP 3,919,114), as applied to claim 1 above, and further in view of Szydlowski et al. (WO 91/10496).

Regarding claim 10-12, McShea, III et al. in view of Muenger and further in view of Reynolds disclose all of the claim limitations as set forth above, but the references do not disclose a scatter preventing means provided between said reforming catalyst body and said CO shifting body and between said CO shifting body and said CO purification body.

Szydlowski et al. teaches that providing filters as scatter preventing means following catalyst beds advantageously prevents catalyst losses from the catalyst beds (abstract).

It would have been obvious to one having ordinary skill in the art at the time the invention was made to add filter pads as scatter preventing means between said reforming catalyst body and

Art Unit: 1764

said CO shifting body and between said CO shifting body and said CO purification body of McShea, III et al., as taught by Szydlowski et al., for the purpose of preventing catalyst losses from said catalyst bodies.

As Szydlowski et al. teaches that pressure losses over said scatter preventing means are an issue (P2/L11-14), it would have been obvious to one having ordinary skill in the art at the time the invention was made to place temperature near said scatter preventing means and pressure detecting apparatus upstream and downstream of said scatter preventing means to ensure that there are not excessive pressure losses.

7. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Conclusion

- 8. In view of the foregoing, none of the claims are allowed.
- 9. The Group and/or Art Unit location of your application in the PTO has changed. To aid in correlating any papers for this application, all further correspondence regarding this application should be directed to Group Art Unit 1764.
- 10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to examiner Basia Ridley, whose telephone number is (703) 305-5418. The examiner can normally be reached on Monday through Thursday, from 8:30 AM to 7:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Caldarola, can be reached on (703) 308-6824.

Art Unit: 1764

Page 9

The fax phone number for Group 1700 is (703) 872-9311 (for Official papers after Final), (703) 872-9310 (for other Official papers) and (703) 305-6078 (for Unofficial papers). When filing a fax in Group 1700, please indicate in the Header (upper right) "Official" for papers that are to be entered into the file, and "Unofficial" for draft documents and other communication with the PTO that are not for entry into the file of the application. This will expedite processing of your papers.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0661.

Basia Ridley Examiner Art Unit 1764

JERRY D. JOHNSON PRIMARY EXAMINER GROUP 1100

BR June 30, 2003